



Fall protection

# PROTECTOR LARGE AN18020T

## RETRACTABLE FALL ARRESTERS

Self-retractable cable fall arrester with carrying handle for easy transport and installation, for lengths of 20 metres



### Specific benefits



#### Comfort

- Double swivel for optimum user tracking



#### Performance

- Certification above the maximum rated load of 100 kg; product certified at 150 kg



#### Easy to use

- Automatic carabiners for secure and time-saving locking
- Carrying handle for easy transport
- NFC system guarantees traceability



#### Durability

- Impact-resistant ABS housing

### Applications

- Building
- Finishing works / Craftsmanship
- Maintenance
- Chemical industry
- Petrochemical
- Storage

### Certifications and norms

EN360

RFU 11.062  
150 KG



### Protects against risks



Fall



Fall protection

# PROTECTOR LARGE AN18020T

## RETRACTABLE FALL ARRESTERS

Self-retractable cable fall arrester with carrying handle for easy transport and installation, for lengths of 20 metres

### Standards - Details

### Technical details

Type of equipment	Cable reel
Composition of the main support	ABS (Acrylonitrile Butadiene Styrene), Galvanized steel
ARA lenght	20 m
Cable diameter	5 mm
Included elements	Included energy absorber
Color	Black-Red
Connector (user side)	Small hook, steel, opening 21 mm
SIZE	20 m
Lifespan from manufacturing	20 years
Weight	11,5 kg
Maximum load for one person	150 kg
Fall arrest work situations	Vertical movement on a permanent structure, Long vertical movement or movement on inclined surface, Long horizontal movement on vertical structure
Locking system	Inertia locking system
ARA lenght	787.402 inch



Fall protection

# PROTECTOR LARGE AN18020T

## RETRACTABLE FALL ARRESTERS

Self-retractable cable fall arrester with carrying handle for easy transport and installation, for lengths of 20 metres

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
AN18020T	Black-Red	20 m	PROTECTOR LARGE AN18020T	3295249230258	13295249230255	1	1	15.5 kg