

CERTIFICATE OF COMPLIANCE

Certificate Number 20130130-MH14719
Report Reference MH14719-20121031
Issue Date 2013-JANUARY-30

Issued to: Southern Mills Inc., dbaTencate Protective Fabrics
6501 Mall Blvd
P. O. Box 289
Union City, GA 30291



This is to certify that representative samples of Component – Outer Shell Fabrics
See Styles on Page 2 and 3

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: NFPA 1971, Standard on Protective Ensembles for Structural Fire Fighting and Proximity Fire Fighting, 2013 Edition and CAN/CGSB 155.1, Standard on Firefighters' Protective Clothing for Protection Against Heat and Flame, 2001 Edition

Additional Information: See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Recognized Component Marks for the U.S. and Canada should be considered as being covered by UL's Recognition and Follow-Up Service and meeting the appropriate U.S. and Canadian requirements.

The UL Recognized Component Mark for the U.S. generally consists of the manufacturer's identification and catalog number, model number or other product designation as specified under "Marking" for the particular Recognition as published in the appropriate UL Directory. As a supplementary means of identifying products that have been produced under UL's Component Recognition Program, UL's Recognized Component Mark: , may be used in conjunction with the required Recognized Marks. The Recognized Component Mark is required when specified in the UL Directory preceding the recognitions or under "Markings" for the individual recognitions. The UL Recognized Component Mark for Canada consists of the UL Recognized Mark for Canada:  and the manufacturer's identification and catalog number, model number or other product designation as specified under "Marking" for the particular Recognition as published in the appropriate UL Directory.

The final acceptance of the component is dependent upon its installation and use in complete equipment submitted to UL LLC.

Look for the UL Recognized Component Mark on the product.



William R. Carney, Director, North American Certification Programs

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus



CERTIFICATE OF COMPLIANCE

Certificate Number 20130130-MH14719
Report Reference MH14719-20121031
Issue Date 2013-JANUARY-30

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model/Style Designation	Weight (oz/yd ²)	Material Composition	Weave	Finish
Kombat 750	7.5	60% Para-Aramid/40% PBI	Ripstop	Water Repellant Finish
(+++) 750	7.5	93% Meta-Aramid/5% Para-Aramid/2% Anti-Stat	Plain	Water Repellant Finish
(+++) 600RS	6.0	93% Meta-Aramid/5% Para-Aramid/2% Anti-Stat	Ripstop	Water Repellant Finish
Gemini (#)	7.5	60% Para-Aramid/40% PBI (Kevlar or Twaron as Para-Aramid)	Ripstop	Water Repellant Finish with or without Softer Hand
Advance	7.2	60% Para-Aramid/40% Meta-Aramid (Kevlar or Twaron as Para-Aramid)	Ripstop	Water Repellant Finish with or without Softer Hand
Millenia Light	5.3	60% Para-Aramid/40% PBO	Ripstop	Water Repellant Finish
Millenia XT	7.5	60% Para-Aramid/40% PBO	Ripstop	Water Repellant Finish
Advance PCA	7.2	50% Producer Dyed Para-Aramid/50% Producer Dyed Meta-Aramid	Ripstop	Water Repellant Finish with or without Softer Hand
Advance Ultra	7.5	60% Para-Aramid/20% Meta-Aramid/20% PBO	Ripstop	Water Repellant Finish

(#) – XT may follow the name designation.

(+++) – Defender or Brigade may precede the number designation.



William R. Carney, Director, North American Certification Programs
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus



CERTIFICATE OF COMPLIANCE

Certificate Number 20130130-MH14719
Report Reference MH14719-20121031
Issue Date 2013-JANUARY-30

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model/Style Designation	Weight (oz/yd ²)	Material Composition	Weave	Coating or Finish
Millenia XTL	6.0	60% Para-Aramid/40% PBO	Ripstop	Durable Water Repellant
Gemini XTL (with nega-stat grid)	6.0	60% Para-Aramid/40% PBI Reinforced With A High Strength Filament Grid	Ripstop	Durable Water Repellant
Crusader 790	7.5	60% Para-Aramid/40% Nomex IIIA (93% Meta-Aramid/5% Para-Aramid/2% Anti-Stat)	Ripstop	Water Repellant Finish
(++) 782	7.5	93% Meta-Aramid/5% Para-Aramid/2% Carbon	Twill	Water Repellant Finish

(++) – Defender, OMNI Weave, FreeStyle, Brigade, AtEase, OMNI Soft may precede the number designation.



William R. Carney, Director, North American Certification Programs
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus

