

4 Approval Label

E.D. BULLARD CO.
 1898 Safety Way
 CYNTHIANA, KY 41031 USA
 877-BULLARD (285-5273)



MODEL GVX SERIES with F30 SERIES FLOW CONTROL DEVICES
 TYPE CE CONTINUOUS FLOW SUPPLIED-AIR RESPIRATOR
 THIS RESPIRATOR IS APPROVED ONLY IN THE FOLLOWING CONFIGURATIONS:

PROTECTION	MODEL	HOOD	RESPIRATOR COMPONENTS												CAUTIONS AND LIMITATIONS
			ALTERNATE TUBES	ALTERNATE CAPES	ALTERNATE FLOW CONTROL DEVICES	ALTERNATE AIRLINE HOSES	ALTERNATE AIRLINE FITTINGS	ALTERNATE LENSES	ALTERNATE BELTS	ACCESSORIES	CAUTIONS AND LIMITATIONS				
TC	GVX SERIES RESPIRATOR	GVX-XXX	GVX-XXX	381A, 381B, 381C, 381D, 381E, 381F, 381G, 381H, 381I, 381J, 381K, 381L, 381M, 381N, 381O, 381P, 381Q, 381R, 381S, 381T, 381U, 381V, 381W, 381X, 381Y, 381Z, 381AA, 381AB, 381AC, 381AD, 381AE, 381AF, 381AG, 381AH, 381AI, 381AJ, 381AK, 381AL, 381AM, 381AN, 381AO, 381AP, 381AQ, 381AR, 381AS, 381AT, 381AU, 381AV, 381AW, 381AX, 381AY, 381AZ, 381BA, 381BB, 381BC, 381BD, 381BE, 381BF, 381BG, 381BH, 381BI, 381BJ, 381BK, 381BL, 381BM, 381BN, 381BO, 381BP, 381BQ, 381BR, 381BS, 381BT, 381BU, 381BV, 381BW, 381BX, 381BY, 381BZ, 381CA, 381CB, 381CC, 381CD, 381CE, 381CF, 381CG, 381CH, 381CI, 381CJ, 381CK, 381CL, 381CM, 381CN, 381CO, 381CP, 381CQ, 381CR, 381CS, 381CT, 381CU, 381CV, 381CW, 381CX, 381CY, 381CZ, 381DA, 381DB, 381DC, 381DD, 381DE, 381DF, 381DG, 381DH, 381DI, 381DJ, 381DK, 381DL, 381DM, 381DN, 381DO, 381DP, 381DQ, 381DR, 381DS, 381DT, 381DU, 381DV, 381DW, 381DX, 381DY, 381DZ, 381EA, 381EB, 381EC, 381ED, 381EE, 381EF, 381EG, 381EH, 381EI, 381EJ, 381EK, 381EL, 381EM, 381EN, 381EO, 381EP, 381EQ, 381ER, 381ES, 381ET, 381EU, 381EV, 381EW, 381EX, 381EY, 381EZ, 381FA, 381FB, 381FC, 381FD, 381FE, 381FF, 381FG, 381FH, 381FI, 381FJ, 381FK, 381FL, 381FM, 381FN, 381FO, 381FP, 381FQ, 381FR, 381FS, 381FT, 381FU, 381FV, 381FW, 381FX, 381FY, 381FZ, 381GA, 381GB, 381GC, 381GD, 381GE, 381GF, 381GG, 381GH, 381GI, 381GJ, 381GK, 381GL, 381GM, 381GN, 381GO, 381GP, 381GQ, 381GR, 381GS, 381GT, 381GU, 381GV, 381GW, 381GX, 381GY, 381GZ, 381HA, 381HB, 381HC, 381HD, 381HE, 381HF, 381HG, 381HH, 381HI, 381HJ, 381HK, 381HL, 381HM, 381HN, 381HO, 381HP, 381HQ, 381HR, 381HS, 381HT, 381HU, 381HV, 381HW, 381HX, 381HY, 381HZ, 381IA, 381IB, 381IC, 381ID, 381IE, 381IF, 381IG, 381IH, 381II, 381IJ, 381IK, 381IL, 381IM, 381IN, 381IO, 381IP, 381IQ, 381IR, 381IS, 381IT, 381IU, 381IV, 381IW, 381IX, 381IY, 381IZ, 381JA, 381JB, 381JC, 381JD, 381JE, 381JF, 381JG, 381JH, 381JI, 381JJ, 381JK, 381JL, 381JM, 381JN, 381JO, 381JP, 381JQ, 381JR, 381JS, 381JT, 381JU, 381JV, 381JW, 381JX, 381JY, 381JZ, 381KA, 381KB, 381KC, 381KD, 381KE, 381KF, 381KG, 381KH, 381KI, 381KJ, 381KK, 381KL, 381KM, 381KN, 381KO, 381KP, 381KQ, 381KR, 381KS, 381KT, 381KU, 381KV, 381KW, 381KX, 381KY, 381KZ, 381LA, 381LB, 381LC, 381LD, 381LE, 381LF, 381LG, 381LH, 381LI, 381LJ, 381LK, 381LL, 381LM, 381LN, 381LO, 381LP, 381LQ, 381LR, 381LS, 381LT, 381LU, 381LV, 381LW, 381LX, 381LY, 381LZ, 381MA, 381MB, 381MC, 381MD, 381ME, 381MF, 381MG, 381MH, 381MI, 381MJ, 381MK, 381ML, 381MM, 381MN, 381MO, 381MP, 381MQ, 381MR, 381MS, 381MT, 381MU, 381MV, 381MW, 381MX, 381MY, 381MZ, 381NA, 381NB, 381NC, 381ND, 381NE, 381NF, 381NG, 381NH, 381NI, 381NJ, 381NK, 381NL, 381NM, 381NN, 381NO, 381NP, 381NQ, 381NR, 381NS, 381NT, 381NU, 381NV, 381NW, 381NX, 381NY, 381NZ, 381OA, 381OB, 381OC, 381OD, 381OE, 381OF, 381OG, 381OH, 381OI, 381OJ, 381OK, 381OL, 381OM, 381ON, 381OO, 381OP, 381OQ, 381OR, 381OS, 381OT, 381OU, 381OV, 381OW, 381OX, 381OY, 381OZ, 381PA, 381PB, 381PC, 381PD, 381PE, 381PF, 381PG, 381PH, 381PI, 381PJ, 381PK, 381PL, 381PM, 381PN, 381PO, 381PP, 381PQ, 381PR, 381PS, 381PT, 381PU, 381PV, 381PW, 381PX, 381PY, 381PZ, 381QA, 381QB, 381QC, 381QD, 381QE, 381QF, 381QG, 381QH, 381QI, 381QJ, 381QK, 381QL, 381QM, 381QN, 381QO, 381QP, 381QQ, 381QR, 381QS, 381QT, 381QU, 381QV, 381QW, 381QX, 381QY, 381QZ, 381RA, 381RB, 381RC, 381RD, 381RE, 381RF, 381RG, 381RH, 381RI, 381RJ, 381RK, 381RL, 381RM, 381RN, 381RO, 381RP, 381RQ, 381RR, 381RS, 381RT, 381RU, 381RV, 381RW, 381RX, 381RY, 381RZ, 381SA, 381SB, 381SC, 381SD, 381SE, 381SF, 381SG, 381SH, 381SI, 381SJ, 381SK, 381SL, 381SM, 381SN, 381SO, 381SP, 381SQ, 381SR, 381SS, 381ST, 381SU, 381SV, 381SW, 381SX, 381SY, 381SZ, 381TA, 381TB, 381TC, 381TD, 381TE, 381TF, 381TG, 381TH, 381TI, 381TJ, 381TK, 381TL, 381TM, 381TN, 381TO, 381TP, 381TQ, 381TR, 381TS, 381TT, 381TU, 381TV, 381TW, 381TX, 381TY, 381TZ, 381UA, 381UB, 381UC, 381UD, 381UE, 381UF, 381UG, 381UH, 381UI, 381UJ, 381UK, 381UL, 381UM, 381UN, 381UO, 381UP, 381UQ, 381UR, 381US, 381UT, 381UU, 381UV, 381UW, 381UX, 381UY, 381UZ, 381VA, 381VB, 381VC, 381VD, 381VE, 381VF, 381VG, 381VH, 381VI, 381VJ, 381VK, 381VL, 381VM, 381VN, 381VO, 381VP, 381VQ, 381VR, 381VS, 381VT, 381VU, 381VV, 381VW, 381VX, 381VY, 381VZ, 381WA, 381WB, 381WC, 381WD, 381WE, 381WF, 381WG, 381WH, 381WI, 381WJ, 381WK, 381WL, 381WM, 381WN, 381WO, 381WP, 381WQ, 381WR, 381WS, 381WT, 381WU, 381WV, 381WW, 381WX, 381WY, 381WZ, 381XA, 381XB, 381XC, 381XD, 381XE, 381XF, 381XG, 381XH, 381XI, 381XJ, 381XK, 381XL, 381XM, 381XN, 381XO, 381XP, 381XQ, 381XR, 381XS, 381XT, 381XU, 381XV, 381XW, 381XX, 381XY, 381XZ, 381YA, 381YB, 381YC, 381YD, 381YE, 381YF, 381YG, 381YH, 381YI, 381YJ, 381YK, 381YL, 381YM, 381YN, 381YO, 381YP, 381YQ, 381YR, 381YS, 381YT, 381YU, 381YV, 381YW, 381YX, 381YY, 381YZ, 381ZA, 381ZB, 381ZC, 381ZD, 381ZE, 381ZF, 381ZG, 381ZH, 381ZI, 381ZJ, 381ZK, 381ZL, 381ZM, 381ZN, 381ZO, 381ZP, 381ZQ, 381ZR, 381ZS, 381ZT, 381ZU, 381ZV, 381ZW, 381ZX, 381ZY, 381ZZ	XXXX-XXXX										

1. PROTECTION

- SB=Supplied-Air Abrasive Blast
- CF=Continuous Flow
- SA=Supplied-air

2. CAUTIONS AND LIMITATIONS

- A - Not for use in atmospheres containing less than 19.5 percent oxygen.
- B - Not for use in atmospheres immediately dangerous to life or health.
- C - Do not exceed maximum use concentrations established by regulatory standards.
- D - Air-line respirators can be used only when the respirators are supplied with respirable air meeting the requirements of CGA G-7.1 Grade D or higher quality.
- E - Use only the pressure ranges and hose lengths specified in the User's Instructions.
- J - Failure to properly use and maintain this product could result in injury or death.
- M - All approved respirators shall be selected, fitted, used and maintained in accordance with MSHA, OSHA and other applicable regulations.
- N - Never substitute, modify, add or omit parts. Use only exact replacement parts in the configuration specified by the manufacturer.
- O - Refer to User's Instructions, and/or maintenance manuals for information on use and maintenance of these respirators.
- S - Special or critical User's Instruction and / or specific use limitations apply. Refer to User Instructions before donning.

